

03-10-00

A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

03/08/00
jc784 U.S. PTO

jc675 U.S. PTO
09/520405
03/08/00

Patent Application of: Michael G. Martinek and Mark D. Jackson
Title: COMPUTERIZED GAMING SYSTEM, METHOD AND APPARATUS

Attorney Docket No.: 307.029US1/PA0390.ap.US (Nickname: Linux/Shared Object)

PATENT APPLICATION TRANSMITTAL

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

We are transmitting herewith the following attached items and information (as indicated with an "X"):

- X Utility Patent Application under 37 CFR § 1.53(b) comprising:
 - X Specification (25 pgs, including claims numbered 1 through 47 and a 1 page Abstract).
 - X Drawing(s) (2 sheets).
 - X Signed Combined Declaration and Power of Attorney (4 pgs).
 - X Check Nos. 102005 and 102084 in the amounts of \$345.00 and \$555.00, respectively to pay the filing fee.
- X Assignment of the invention to Shuffle Master, Inc. (3 pgs) and Recordation Form Cover Sheet.
- X Check No. 102003 in the amount of \$40.00 to pay the Assignment recording fee.
- X Small Entity Statement (1 pg).
- X Return postcard.

The filing fee has been calculated below as follows:

	No. Filed	No. Extra	Rate	Fee
TOTAL CLAIMS	47 - 20 =	27	x 9 =	\$243.00
INDEPENDENT CLAIMS	11 - 3 =	8	x 39 =	\$312.00
[] MULTIPLE DEPENDENT CLAIMS PRESENTED				\$0.00
BASIC FEE				\$345.00
TOTAL				\$900.00

Please charge any additional required fees or credit overpayment to Deposit Account No. 19-2140.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. Box 2938, Minneapolis, MN 55402 (612-373-6900)
Please address all future correspondence to: Mark A. Litman
Schwegman, Lundberg, Woessner & Kluth, PA
Customer Number 21186

By: Jennifer K. Farrar
Atty: Jennifer K. Farrar
Reg. No. 34,775

"Express Mail" mailing label number: EK524483902US Date of Deposit: March 8, 2000
I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231.

By: Suzan L. Levin

Signature: Suzan L. Levin

SMALL BUSINESS

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 C.F.R. 1.9(f) AND 1.27(c)) - SMALL BUSINESS CONCERN

I hereby declare that I am

a) ☐ the owner of the small business concern identified below:

b) ☐ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN: Shuffle Master, Inc.
ADDRESS OF CONCERN: 10901 Valley View Rd.
Eden Prairie, MN 55344

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 C.F.R. 121.3-18, and reproduced in 37 C.F.R. 1.9(d), for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled COMPUTERIZED GAMING SYSTEM, METHOD AND APPARATUS by inventors Michael G. Martinek, Mark D. Jackson and Mark L. Yoseloff described in the specification filed herewith.

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as an independent inventor under 37 C.F.R. 1.9(c) or by any concern which would not qualify as a small business concern under 37 C.F.R. 1.9(d) or a nonprofit organization under 37 C.F.R. 1.9(e). *NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 C.F.R. 1.27)

NAME _____

ADDRESS _____

a) ☐ INDIVIDUAL

b) ☐ SMALL BUSINESS CONCERN

c) ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 C.F.R. 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereof, or any patent to which this verified statement is directed.

NAME: Mark L. Yoseloff

TITLE: Executive Vice President

ADDRESS: 1106 Palms Airport Drive, Las Vegas, Nevada 89119

SIGNATURE: _____

DATE: 3-6-2000

COMPUTERIZED GAMING SYSTEM, METHOD AND APPARATUS

Field of the Invention

The invention relates generally to computerized gaming systems, and more
5 specifically to a game code and operating system method and apparatus for use within
computerized gaming systems.

Notice of Co-pending Applications

This application is related to co-pending application 09/405,921 filed
10 September 24, 1999, and to co-pending application attorney docket 307.028US1, which
are hereby incorporated by reference.

Background of the Invention

Games of chance have been enjoyed by people for thousands of years and have
15 enjoyed increased and widespread popularity in recent times. As with most forms of
entertainment, players enjoy playing a wide variety of games and new games. Playing
new games adds to the excitement of "gaming." As is well known in the art and as used
herein, the term "gaming" and "gaming devices" are used to indicate that some form of
wagering is involved, and that players must make wagers of value, whether actual
20 currency or some equivalent of value, e.g., token or credit.

One popular game of chance is the slot machine. Conventionally, a slot machine
is configured for a player to wager something of value, e.g., currency, house token,
established credit or other representation of currency or credit. After the wager has been
made, the player activates the slot machine to cause a random event to occur. The player
25 wagers that particular random events will occur that will return value to the player. A
standard device causes a plurality of reels to spin and ultimately stop, displaying a
random combination of some form of indicia, for example, numbers or symbols. If this

display contains one of a pre-selected plurality of winning combinations, the machine releases money into a payout chute or increments a credit meter by the amount won by the player. For example, if a player initially wagered two coins of a specific denomination and that player achieved a payout, that player may receive the same
5 number or multiples of the wager amount in coins of the same denomination as wagered.

There are many different formats for generating the random display of events that can occur to determine payouts in wagering devices. The standard or original format was the use of three reels with symbols distributed over the face of the wheel. When the three reels were spun, they would eventually each stop in turn, displaying a combination of
10 three symbols (e.g., with three wheels and the use of a single payout line as a row in the middle of the area where the symbols are displayed). By appropriately distributing and varying the symbols on each of the reels, the random occurrence of predetermined winning combinations can be provided in mathematically predetermined probabilities. By clearly providing for specific probabilities for each of the pre-selected winning
15 outcomes, precise odds that would control the amount of the payout for any particular combination and the percentage return on wagers for the house could be readily controlled.

Other formats of gaming apparatus that have developed in a progression from the pure slot machine with three reels have dramatically increased with the development of
20 video gaming apparatus. Rather than have only mechanical elements such as wheels or reels that turn and stop to randomly display symbols, video gaming apparatus and the rapidly increasing sophistication in hardware and software have enabled an explosion of new and exciting gaming apparatus. The earlier video apparatus merely imitated or simulated the mechanical slot games in the belief that players would want to play only the
25 same games. Early video games therefore were simulated slot machines. The use of video gaming apparatus to play new games such as draw poker and Keno broke the ground for the realization that there were many untapped formats for gaming apparatus.

Now casinos may have hundreds of different types of gaming apparatus with an equal number of significant differences in play. The apparatus may vary from traditional three reel slot machines with a single payout line, video simulations of three reel video slot machines, to five reel, five column simulated slot machines with a choice of twenty or
 5 more distinct paylines, including randomly placed lines, scatter pays, or single image payouts. In addition to the variation in formats for the play of games, bonus plays, bonus awards, and progressive jackpots have been introduced with great success. The bonuses may be associated with the play of games that are quite distinct from the play of the original game, such as the video display of a horse race with "bets" on the individual
 10 horses randomly assigned to players that qualify for a bonus, the spinning of a random wheel with fixed amounts of a bonus payout on the wheel (or simulation thereof), or attempting to select a random card that is of higher value than a card exposed on behalf of a virtual "dealer."

Examples of such gaming apparatus with a distinct bonus feature includes U.S.
 15 Patent Nos. 5,823,874; 5,848,932; 5,836,041; U.K. Patent Nos. 2 201 821 A; 2 202 984 A; and 2 072 395A; and German Patent DE 40 14 477 A1. Each of these patents differ in fairly subtle ways as to the manner in which the bonus round is played. British patent 2 201 821 A and DE 37 00 861 A1 describe a gaming apparatus in which after a winning outcome is first achieved in a reel-type gaming segment, a second segment is engaged to
 20 determine the amount of money or extra games awarded. The second segment gaming play involves a spinning wheel with awards listed thereon (e.g., the number of coins or number of extra plays) and a spinning arrow that will point to segments of the wheel with the values of the awards thereon. A player will press a stop button and the arrow will point to one of the values. The specification indicates both that there is a level of skill
 25 possibly involved in the stopping of the wheel and the arrow(s), and also that an associated computer operates the random selection of the rotatable numbers and

determines the results in the additional winning game, which indicates some level of random selection in the second gaming segment.

U.S. Patents Nos. 5,823,874 and 5,848,932 describe a gaming device comprising: a first, standard gaming unit for displaying a randomly selected combination of indicia, said displayed indicia selected from the group consisting of reels, indicia of reels, indicia of playing cards, and combinations thereof; means for generating at least one signal corresponding to at least one select display of indicia by said first, standard gaming unit; means for providing at least one discernible indicia of a mechanical bonus indicator, said discernible indicia indicating at least one of a plurality of possible bonuses, wherein said providing means is operatively connected to said first, standard gaming unit and becomes actuable in response to said signal. In effect, the second gaming event simulates a mechanical bonus indicator such as a roulette wheel or wheel with a pointing element.

A video terminal is another form of gaming device. Video terminals operate in the same manner as a conventional slot and video machine, except that a redemption ticket rather than an immediate payout is dispensed.

The vast array of electronic video gaming apparatus that is commercially available is not standardized within the industry or necessarily even within the commercial line of apparatus available from a single manufacturer. One of the reasons for this lack of uniformity or standardization is the fact that the operating systems that have been used to date in the industry are primitive. As a result, the programmer must often create code for each and every function performed by each individual apparatus.

Attempts have been made to create a universal gaming engine for a gaming machine and is described in Carlson U.S. patent 5,707,286. This patent describes a universal gaming engine that segregates the random number generator and transform algorithms so that this code need not be rewritten or retested with each new game application. All code that is used to generate a particular game is contained in a rule EPROM in the rules library 108. Although the step of segregating random number

generator code and transform algorithms has reduced the development time of new games, further improvements are needed.

One significant economic disadvantageous feature with commercial video wagering gaming units that maintains an artificially high price for the systems in the market is the use of unique hardware interfaces in the various manufactured video gaming systems. The different hardware, the different access codes, the different pin couplings, the different harnesses for coupling of pins, the different functions provided from the various pins, and the other various and different configurations within the systems has prevented any standard from developing within the technical field. This is advantageous to the equipment manufacturer, because the games for each system are provided exclusively by a single manufacturer, and the entire systems can be readily obsoleted, so that the market will have to purchase a complete unit rather than merely replacement software, and aftermarket game designers cannot easily provide a single game that can be played on different hardware.

The invention of computerized gaming systems that include a common or “universal” video wagering game controller that can be installed in a broad range of video gaming apparatus without substantial modification to the game controller has made possible the standardization of many components and of corresponding gaming software within gaming systems. Such systems desirably will have functions and features that are specifically tailored to the unique demands of supporting a variety of games and gaming apparatus types, and doing so in a manner that is efficient, secure, and cost-effective to operate.

What is desired is an architecture and method providing a gaming-specific platform that features reduced game development time and efficient game operation, provides security for the electronic gaming system, and does so in a manner that is cost-effective for game software developers, gaming apparatus manufacturers, and gaming apparatus users. An additional advantage is that the use of the platform will speed the

review and approval process for games with the various gaming agencies, bringing the games to market sooner.

Summary of the Invention

The present invention in various embodiments provides a computerized wagering
5 game method and apparatus that features an operating system kernel that may include
selected device handlers that are disabled or removed. The present invention features a
system handler application that is part of the operating system. The system handles loads
and executes gaming program objects and features nonvolatile storage that facilitates
sharing of information between gaming program objects. The system handler of some
10 embodiments further provides an API library of functions callable from the gaming
program shared objects, and facilitates the use of callback functions on change of data
stored in nonvolatile storage. A nonvolatile record of the state of the computerized
wagering game is stored on the nonvolatile storage, providing protection against loss of
the game state due to power loss. The system handler application in various
15 embodiments includes a plurality of handlers, providing an interface to selected hardware
and the ability to monitor hardware-related events.

Brief Description of the Figures

Figure 1 shows a computerized wagering game apparatus as may be used to
practice an embodiment of the present invention.

20 Figure 2 shows a more detailed structure of program code executed on a
computerized wagering game apparatus, consistent with an embodiment of the present
invention.

Detailed Description

In the following detailed description of sample embodiments of the invention,
25 reference is made to the accompanying drawings which form a part hereof, and in which
is shown by way of illustration specific sample embodiments in which the invention may
be practiced. These embodiments are described in sufficient detail to enable those skilled

in the art to practice the invention, and it is to be understood that other embodiments may be utilized and that logical, mechanical, electrical, and other changes may be made without departing from the spirit or scope of the present invention. The following detailed description is, therefore, not to be taken in a limiting sense, and the scope of the invention
5 is defined only by the appended claims.

Definitions

For purposes of this disclosure, the following terms have specialized meaning, and are defined below:

“Memory” for purposes of this disclosure is defined as any type of media capable
10 of read/write capability. Examples of memory are RAM, tape and floppy disc.

“Shared Objects” for purposes of this disclosure are defined as self-contained, functional units of game code that define a particular feature set or sequence of operation for a game. The personality and behavior of a gaming machine of the present invention are defined by the particular set of shared objects called and executed by the operating
15 system. Within a single game, numerous shared objects may be dynamically loaded and executed. This definition is in contrast with the conventional meaning of a shared object, which typically provides an API to multiple programs.

“Architecture” for purposes of this disclosure is defined as software, hardware or both.

20 “Dynamic Linking” for purposes of this disclosure is defined as linking at run time.

“API” for purposes of this disclosure is an Application Programming Interface. The API includes a library of functions.

“System Handler” for purposes of this disclosure is defined as a collection of code
25 written to control non-game specific device handlers. Examples of device handlers include I/O, sound, video, touch screen, nonvolatile RAM and network devices.

“Gaming Data Variables” for purposes of this disclosure includes at a minimum any or all data needed to reconstruct the game state in the event of a power loss.

“Game.State File” for purposes of this disclosure is a template for creating a look-up list of information stored in NV RAM.

5 The present invention provides a computerized gaming system method and apparatus that have novel gaming-specific features that improve security, make development of game code more efficient, and do so using an apparatus and software methods that are cost-effective and efficient. The present invention also reduces the amount of effort required to evaluate and review new game designs by gaming regulators,
10 because the amount of code to be reviewed for each game is reduced by as much as 80% over known, machine-specific architecture. The invention provides, in various embodiments, features such as a nonvolatile memory for storing gaming application variables and game state information, provides a shared object architecture that allows individual game objects to be loaded and to call common functions provided by a system
15 handler application, and in one embodiment provides a custom operating system kernel that has selected device handlers disabled.

 Figure 1 shows an exemplary gaming system 100, illustrating a variety of components typically found in gaming systems and how they may be used in accordance with the present invention. User interface devices in this gaming system include push
20 buttons 101, joystick 102, and pull arm 103. Credit for wagering may be established via coin or token slot 104, a device 105 such as a bill receiver or card reader, or any other credit input device. A card reader 105 may also provide the ability to record credit information on a user’s card when the user has completed gaming, or credit may be returned via a coin tray 106 or other credit return device. Information is provided to the
25 user by devices such as video screen 107, which may be a cathode ray tube (CRT), liquid crystal display (LCD) panel, plasma display, light-emitting diode (LED) display, mechanical reels or wheels or other display device that produces a visual image under

control of the computerized game controller. Also, buttons 101 may be lighted to indicate what buttons may be used to provide valid input to the game system at any point in the game. Still other lights or other visual indicators may be provided to indicate game information or for other purposes such as to attract the attention of prospective game users. Sound is provided via speakers 108, and also may be used to indicate game status, to attract prospective game users, to provide player instructions or for other purposes, under the control of the computerized game controller.

The gaming system 100 further comprises a computerized game controller 111 and I/O interface 112, connected via a wiring harness 113. The universal game controller 111 need not have its software or hardware designed to conform to the interface requirements of various gaming system user interface assemblies, but can be designed once and can control various gaming systems via the use of machine-specific I/O interfaces 112 designed to properly interface an input and/or output of the universal computerized game controller to the harness assemblies found within the various gaming systems.

In some embodiments, the universal game controller 111 is a standard IBM Personal Computer-compatible (PC compatible) computer. Still other embodiments of a universal game controller comprise general purpose computer systems such as embedded controller boards or modular computer systems. Examples of such embodiments include a PC compatible computer with a PC/104 bus that is an example of a modular computer system that features a compact size and low power consumption while retaining PC software and hardware compatibility. The universal game controller 111 provides all functions necessary to implement a wide variety of games by loading various program code on the universal controller, thereby providing a common platform for game development and delivery to customers for use in a variety of gaming systems. Other universal computerized game controllers consistent with the present invention may include any general-purpose computers that are capable of supporting a variety of gaming

system software, such as universal controllers optimized for cost effectiveness in gaming applications or that contain other special-purpose elements yet retain the ability to load and execute a variety of gaming software. Examples of special purpose elements include elements that are heat resistant and are designed to operate under less than optimal environments that might contain substances such as dust, smoke, heat and moisture. Special purpose elements are also more reliable when used 24 hours per day, as is the case with most gaming applications.

The computerized game controller of some embodiments is a computer running an operating system with a gaming application-specific kernel. In further embodiments, a game engine layer of code executes within a non-application specific kernel, providing common game functionality. The gaming program shared object in such embodiments is therefore only a fraction of the total code, and relies on the game engine layer and operating system kernel to provide a library of gaming functions. A preferred operating system kernel is the public domain Linux 2.2 kernel available on the Internet. Still other embodiments will have various levels of application code, ranging from embodiments containing several layers of game-specific code to a single-layer of game software running without an operating system or kernel but providing its own computer system management capability.

Figure 2 illustrates the structure of one exemplary embodiment of the invention, as may be practiced on a computerized gaming system such as that of Figure 1. The invention includes an operating system 300, including an operating system kernel 201 and a system handler application 202. An operating system kernel 201 is first executed, after which a system handler application 202 is loaded and executed. The system handler application in some embodiments may load a gaming program shared object 203, and may initialize the game based on gaming data variables stored in nonvolatile storage 204. In some embodiments, the gaming data variables are further loaded into a Game.State data file or other data storage device 205, which reflects the data stored in nonvolatile

storage 204. The nonvolatile RAM (NV-RAM) according to the invention has read/write capability. The gaming program object in some embodiments calls separate API functions 206, such as sound functions that enable the gaming apparatus to produce sound effects and music.

5 The OS kernel 201 in some embodiments may be a Linux kernel, but in alternate embodiments may be any other operating system providing a similar function. The Linux 2.2 operating system kernel in some further embodiments may be modified for adaptation to gaming architecture. Modifications may comprise erasing or removing selected code from the kernel, modifying code within the kernel, adding code to the kernel or
10 performing any other action that renders the device handler code inoperable in normal kernel operation. By modifying the kernel in some embodiments of the invention, the function of the computerized gaming apparatus can be enhanced by incorporating security features, for example. In an embodiment, all modifications to the kernel are modular.

For example, as described in my co-pending application Serial No. _____,
15 entitled "Encryption in a Secure Computerized Gaming System" filed on the same date as the present application, several functions are incorporated into the kernel to verify that the operating system and shared object code have not changed, and that no new code has been incorporated into the operating system code or shared object code.

In one embodiment, the kernel is modified so that it executes user level code out
20 of ROM. The use of the Linux operating system lends itself to this application because the source code is readily available. Other operating systems such as Windows and DOS are other suitable operating systems.

Embodiments of the invention include hard real time code 310 beneath the kernel providing real time response such as fast response time to interrupts. The hard real time
25 code 310 is part of the operating system in one embodiment.

In an embodiment of the invention, all user interface peripherals such as keyboards, joysticks and the like are not connected to the architecture so that the

operating system and shared objects retain exclusive control over the gaming machine. In another embodiment, selected device handlers are disabled so that the use of a keyboard, for example, is not possible. It is more desirable to retain this functionality so that user peripherals can be attached to service the machine. It might also be desirable to attach
 5 additional user peripherals such as tracking balls, light guns, light pens and the like.

In another embodiment, the kernel is modified to zero out all unused RAM. This function eliminates code that has been inserted unintentionally, such as through a Trojan horse, for example.

In one embodiment, the kernel and operating system are modified to hash the
 10 system handler and shared object or gaming program object code, and to hash the kernel code itself. These functions in different embodiments are performed continuously, or at a predetermined frequency.

The system handler application is loaded and executed after loading the operating system, and manages the various gaming program shared objects. In further
 15 embodiments, the system handler application provides a user Application Program Interface (API) 206, that includes a library of gaming functions used by one or more of the shared objects 210. For example, the API in one embodiment includes functions that control graphics, such as color, screen commands, font settings, character strings, 3-D effects, etc. The device handlers 210 are preferably handled by an event queue 320. The
 20 event queue schedules the event handlers in sequence. The shared object 203 calls the APIs 206 in one embodiment. The system handler application 202 in various embodiments also manages writing of data variables to the "game.state" file 205 stored in the nonvolatile storage 204, and further manages calling any callback functions associated with each data variable changed.

25 The system handler 202 application of some embodiments may manage the gaming program shared objects by loading a single object at a time and executing the object. When another object needs to be loaded and executed, the current object may

remain loaded or can be unloaded and the new object loaded in its place before the new object is executed. The various shared objects can pass data between objects by storing the data in nonvolatile storage 204, utilizing a game.state data storage device 205. For example, a "game.so" file may be a gaming program object file that is loaded and
5 executed to provide operation of a feature set of a computerized wagering game, as a "bonus.so" gaming program object file is loaded and executed to provide a feature set of the bonus segment of play. Upon changing from normal game operation to bonus, the bonus.so is loaded and executed upon loading. Because the relevant data used by each gaming program object file in this example is stored in nonvolatile storage 204, the data
10 may be accessed as needed by whatever gaming program object is currently loaded and executing.

The system handler application in some embodiments provides an API that comprises a library of gaming functions, enabling both easy and controlled access to various commonly used functions of the gaming system. Providing a payout in the event
15 of a winning round of game play, for example, may be accomplished via a payout function that provides the application designer's only access to the hardware that pays out credit or money. Restrictions on the payout function, such as automatically reducing credits stored in nonvolatile storage each time a payout is made, may be employed in some embodiments of the invention to ensure proper and secure management of credits
20 by the computerized gaming system. The functions of the API may be provided by the developer as part of the system handler application, and may be a part of the software provided in the system handler application package. The API functions may be updated as needed by the provider of the system handler application to provide new gaming functions as desired. In some embodiments, the API may simply provide functions that
25 are commonly needed in gaming, such as computation of odds or random numbers, an interface to peripheral devices, or management of cards, reels, video output or other similar functions.

The system handler application 202 in various embodiments also comprises a plurality of device handlers 210, that monitor for various events and provide a software interface to various hardware devices. For example, some embodiments of the invention have handlers for nonvolatile memory 212, one or more I/O devices 214, a graphics engine 216, a sound device 218, or a touch screen 220. Also, gaming-specific devices such as a pull arm, credit receiving device or credit payout device may be handled via a device handler 222. Other peripheral devices may be handled with similar device handlers, and are to be considered within the scope of the invention. In one embodiment, the device handlers are separated into two types. The two types are: soft real time 210A and regular device handlers 210B. The two types of device handlers operate differently. The soft real time handler 210A constantly runs and the other handler 210B runs in response to events.

The nonvolatile storage 204 used to store data variables may be a file on a hard disc, may be nonvolatile memory, or may be any other storage device that does not lose the data stored thereon upon loss of power. In one embodiment the nonvolatile storage in battery-backed RAM. The nonvolatile storage in some embodiments may be encrypted to ensure that the data variables stored therein cannot be corrupted. Some embodiments may further include a game.state file 205, which provides a look-up table for the game data stored in nonvolatile storage 204. The game.state file is typically parsed prior to execution of the shared object file. The operating system creates a map of NVRAM by parsing the game.state file. The look-up table is stored in RAM. This look-up table is used to access and modify game data that resides in NVRAM 204. This game data can also be stored on other types of memory.

In some embodiments, a duplicate copy of the game data stored in NVRAM 204 resides at another location in the NVRAM memory. In another embodiment, a duplicate copy of the game data is copied to another storage device. In yet another embodiment, two copies of the game data reside on the NVRAM and a third copy resides on a separate

storage device. In yet another embodiment, three copies of the game data reside in memory. Extra copies of the game data are required by gaming regulations in some jurisdictions.

5 Data written to the game state device must also be written to the nonvolatile storage device, unless the game state data device is also nonvolatile, to ensure that the data stored is not lost in the event of a power loss. For example, a hard disc in one embodiment stores a game.state file that contains an unencrypted and nonvolatile record of the encrypted data variables in nonvolatile storage flash programmable memory (not shown). Data variables written in the course of game operation are written to the
10 game.state file, which may be encrypted and stored in the nonvolatile storage 204, upon normal shutdown. Loss of power leaves a valid copy of the most recent data variables in the game.state file, which may be used in place of the data in NVRAM in the event of an abnormal shutdown.

In an alternate embodiment, a game state device 205 such as a game.state file
15 stored on a hard disc drive provides variable names or tags and corresponding locations in nonvolatile storage 204, in effect, providing a variable map of the nonvolatile storage. In one such embodiment, the nonvolatile storage may then be parsed using the data in the game state file 205, which permits access to the variable name associated with a particular nonvolatile storage location. Such a method permits access to and handling of
20 data stored in nonvolatile storage using variable names stored in the game state file 205, allowing use of a generic nonvolatile storage driver where the contents of the nonvolatile storage are game-specific. Other configurations of nonvolatile storage such as a single nonvolatile storage are also contemplated, and are to be considered within the scope of the invention.

Callback functions that are managed in some embodiments by the system handler application 202 are triggered by changing variables stored in NVRAM 204. For each variable, a corresponding function may be called that performs an action in response to

the changed variable. For example, every change to a “credits” variable in some embodiments calls a “display_credits” function that updates the credits as displayed to the user on a video screen. The callback function may be a function provided by the current gaming program shared object or can call a different gaming program object.

The gaming program’s shared objects in some embodiments of the invention define the personality and function of the game. Program objects provide different game functions, such as bookkeeping, game operation, game setup and configuration functions, bonus displays and other functions as necessary. The gaming program objects in some embodiments of the invention are loaded and executed one at a time, and share data only through NVRAM 204 or another game data storage device. The previous example of unloading a game.so gaming program object and replacing it with a bonus.so file to perform bonus functions is an example of such use of multiple gaming program shared objects.

Each gaming program object may require certain game data to be present in NVRAM 204, and to be usable from within the executing gaming program shared object 203. The game data may include meter information for bookkeeping, data to recreate game on power loss, game history, currency history, credit information, and ticket printing history, for example. These files do not include operable code or functions.

The operating system of the present application is not limited to use in gaming machines. It is the shared object library rather than the operating system itself that defines the personality and character of the game. The operating system of the present invention can be used with other types of shared object libraries for other purposes.

For example, the operating system of the present invention can be used to control networked on-line systems such as progressive controllers and player tracking systems. The operating system could also be used for kiosk displays or for creating “picture in picture” features in gaming machines. A gaming machine could be configured so that a

video slot player could place a bet in the sports book, then watch the sporting event in the “picture in picture” feature while playing his favorite slot game.

The present invention provides a computerized gaming apparatus and method that provides a gaming-specific platform that features reduced game development time and efficient game operation via the use of a system handler application that can manage independent gaming program objects and gaming-specific API, provides game functionality to the operating system kernel, provides security for the electronic gaming system via the nonvolatile storage and other security features of the system, and does so in an efficient manner that makes development of new software games relatively easy. Production and management of a gaming apparatus is also simplified, due to the system handler application API library of gaming functions and common development platform provided by the invention.

Although specific embodiments have been illustrated and described herein, it will be appreciated by those of ordinary skill in the art that any arrangement which is calculated to achieve the same purpose may be substituted for the specific embodiments shown. This application is intended to cover any adaptations or variations of the invention. It is intended that this invention be limited only by the claims, and the full scope of equivalents thereof.

WHAT IS CLAIMED IS:

- ✓ 1. A computerized wagering game apparatus, comprising:
a computerized game controller having a processor, memory, and nonvolatile storage and is operable to control the computerized wagering game; and
an operating system comprising: a system handler application operable to dynamically link with at least one gaming program object; and
an operating system kernel that executes the system handler application.
2. The computerized wagering game apparatus of claim 1, wherein the system handler application comprises a plurality of device handlers.
3. The computerized wagering game apparatus of claim 1, wherein the system handler application comprises software having the ability when executed to:
load a gaming program shared object; and
execute the new gaming program shared object.
4. The computerized wagering game apparatus of claim 1, wherein game data modified by the gaming program objects is stored in nonvolatile storage.
5. The computerized wagering game apparatus of claim 4, wherein changing game data in nonvolatile storage causes execution of a corresponding callback function in the system handler application.
6. The computerized wagering game apparatus of claim 1, wherein the computerized game controller comprises an IBM PC-compatible controller.

7. The computerized wagering game apparatus of claim 1, wherein the operating system kernel is a Linux operating system kernel.

8. The computerized wagering game apparatus of claim 7, wherein the Linux operating system kernel is modified.

9. The computerized wagering game apparatus of claim 8, wherein the kernel has at least one modification wherein each modification is selected from the group consisting of: 1) accessing user level code from ROM, 2) executing from ROM, 3) zero out unused RAM, 4) test and/or hash the kernel, and 5) disabling selected device handlers.

10. The computerized wagering game apparatus of claim 9, wherein the modifications are modular.

11. The computerized wagering game apparatus of claim 1, wherein the system handler application comprises an API with functions callable from the gaming program objects.

12. The computerized wagering game apparatus of claim 1, wherein the system handler further comprises an event queue.

13. A method of managing data in a computerized wagering game apparatus via a system handler application, comprising:

- loading a shared object,
- executing the shared object, and
- accessing and storing game data in nonvolatile storage.

14. The method of claim 13, and further comprising the step of unloading the first program object, and further comprising loading a second program object.

15. The method of claim 13, further comprising executing a corresponding callback function upon alteration of game data in nonvolatile storage.

16. A computerized wagering game system controlled by a general-purpose computer, comprising an operating system kernel that is customized for gaming use.

17. The computerized wagering game system of claim 16, wherein the kernel is customized in at least one way; selected from the group: 1) accessing user level code from ROM, 2) executing from ROM, 3) zero out unused RAM, 4) test and/or hash the kernel, and 5) disabling selected device handlers.

18. A computerized wagering game system controlled by a general-purpose computer comprising nonvolatile storage that stores game data, such that loss of power does not result in loss of the state of the computerized wagering game system.

19. A gaming machine operating system, comprising a processor and memory and is operable to control the computerized wagering game, wherein the memory contains a plurality of shared objects and a system handler, and the system handler is adapted to execute at least one shared object called from memory.

20. The operating system of claim 19, further comprising nonvolatile storage, wherein game data stored in nonvolatile storage is retained during a gaming machine power down.

✓ 21. A machine-readable medium with instructions thereon, the instructions when executed operable to cause a computer to:

load a first program shared object,
execute a first program shared object,
store game data in nonvolatile storage, such that a second program object later loaded can access the data variables in nonvolatile storage,
unload the first program shared object, and
load the second program shared object.

22. The machine-readable medium of claim 21, with further instructions operable when executed to cause a computer to execute a corresponding callback function upon alteration of game data in the nonvolatile storage.

23. The machine-readable medium of claim 22, with further instructions operable when executed to cause a computer to manage events via the system handler application.

✓ 24. A machine-readable medium with instructions thereon, the instructions when executed operable to cause a computer to manage at least one gaming program object via a system handler application, such that a single gaming program object is executed at any one time, wherein gaming program objects are operable to share game data in nonvolatile storage.

25. The machine-readable medium of claim 21, wherein only one gaming program object executes at any one time.

26. The machine-readable medium of claim 21, with further instructions operable when executed to cause a computer to provide functions through an API that comprises a part of the system handler application.

✓ 27. A machine-readable medium with instructions thereon, the instructions when executed are operable to store game data in nonvolatile storage, such that the state of the computerized wagering game system is maintained when the machine loses power.

/ 28. A gaming machine architecture, comprising an operating system, and a plurality of shared objects; wherein each shared object describes game personality in a selected mode.

29. The gaming machine architecture of claim 28, wherein the operating system comprises an IBM PC-based operating system.

30. The gaming machine architecture of claim 28, wherein the operating system comprises a system handler.

31. The gaming machine architecture of claim 30, wherein the system handler comprises a plurality of device handlers.

32. The gaming machine architecture of claim 30, wherein the system handler comprises an event queue.

33. The gaming machine architecture of claim 30, wherein the system handler comprises a plurality of API callable functions.

34. The apparatus of claim 1, wherein the system handler comprises an event queue that determines the order of execution of each specified device handler.

35. The apparatus of claim 1, wherein the system handler comprises an API having a library of functions.

36. The apparatus of claim 34, wherein the event queue is capable of queuing on a first come, first serve basis.

37. The apparatus of claim 34, wherein the event queue is capable of queuing using more than one criteria.

38. The apparatus of claim 1, wherein the system handler and kernel work in communication to hash the system handler code and operating system kernel code.

√ 39. A universal operating system, comprising a system handler; and an operating system kernel.

40. The operating system of claim 39, and further comprising a plurality of APIs.

41. The operating system of claim 39, and further comprising an event queue.

42. The operating system of claim 39, wherein the system handler comprises a plurality of device handlers.

43. The operating system of claim 39, wherein the operating system kernel is customized for gaming purposes.

44. The operating system of claim 43, wherein the kernel is customized utilizing a method selected from the group consisting of: 1) Accessing user level code from ROM, 2) executing from ROM, 3) zero out unused RAM, 4) test and/or hash the kernel, and 5) disabling selected device handlers.

45. The operating system of claim 39, wherein the system is used to control a networked on-line system.

46. The operating system of claim 39, wherein the system is used to control a progressive meter.

47. A method of modifying an operating system kernel, comprising at least one modification to obtain functionality selected from the group consisting of:

- 1) accessing user level code from ROM;
- 2) executing user level code from ROM;
- 3) zeroing out unused RAM;
- 4) testing and/or hashing the kernel; and
- 5) disabling selected device handlers.

Abstract

The present invention in various embodiments provides a computerized wagering game method and apparatus that features an operating system kernel, a system handler application that loads and executes gaming program shared objects and features

5 nonvolatile storage that facilitates sharing of information between gaming program objects. The system handler of some embodiments further provides an API library of functions callable from the gaming program objects, and facilitates the use of callback functions on change of data stored in nonvolatile storage. The nonvolatile storage also

10 provides a nonvolatile record of the state of the computerized wagering game, providing protection against loss of the game state due to power loss. The system handler application in various embodiments includes a plurality of device handlers, providing an interface to selected hardware and the ability to monitor hardware-related events.

Figure 1





Figure 2



SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

United States Patent Application

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that

I verily believe I am the original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: **COMPUTERIZED GAMING SYSTEM, METHOD AND APPARATUS.**

The specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with 37 C.F.R. § 1.56 (attached hereto). I also acknowledge my duty to disclose all information known to be material to patentability which became available between a filing date of a prior application and the national or PCT international filing date in the event this is a Continuation-In-Part application in accordance with 37 C.F.R. § 1.63(e).

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on the basis of which priority is claimed:

No such claim for priority is being made at this time.

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below:

No such claim for priority is being made at this time.

I hereby claim the benefit under 35 U.S.C. § 120 or 365(c) of any United States and PCT international application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose material information as defined in 37 C.F.R. § 1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

No such claim for priority is being made at this time.

Serial No. not assigned

Filing Date: not assigned

I hereby appoint the following attorney(s) and/or patent agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith:

Adams, Gregory J.	Reg. No. P-44,494	Forrest, Bradley A.	Reg. No. 30,837	Nama, Kash	Reg. No. 44,255
Adams, Matthew W.	Reg. No. 43,459	Harris, Robert J.	Reg. No. 37,346	Nelson, Albin J.	Reg. No. 28,650
Anglin, J. Michael	Reg. No. 24,916	Huebsch, Joseph C.	Reg. No. 42,673	Nielsen, Walter W.	Reg. No. 25,539
Arora, Suneel	Reg. No. 42,267	Jurkovich, Patti J.	Reg. No. P-44,813	Oh, Allen J.	Reg. No. 42,047
Bianchi, Timothy E.	Reg. No. 39,610	Kalis, Janal M.	Reg. No. 37,650	Padys, Danny J.	Reg. No. 35,635
Billion, Richard E.	Reg. No. 32,836	Kaufmann, John D.	Reg. No. 24,017	Parker, J. Kevin	Reg. No. 33,024
Black, David W.	Reg. No. 42,331	Klima-Silberg, Catherine I.	Reg. No. 40,052	Peacock, Gregg A.	Reg. No. P-45,001
Brennan, Thomas F.	Reg. No. 35,075	Kluth, Daniel J.	Reg. No. 32,146	Polglaze, Daniel J.	Reg. No. 39,801
Brooks, Edward J., III	Reg. No. 40,925	Lacy, Rodney L.	Reg. No. 41,136	Prout, William F.	Reg. No. 33,995
Chu, Dinh C.P.	Reg. No. 41,676	Leffert, Thomas W.	Reg. No. 40,697	Schwegman, Micheal L.	Reg. No. 25,816
Clark, Barbara J.	Reg. No. 38,107	Lemaire, Charles A.	Reg. No. 36,198	Sieffert, Kent J.	Reg. No. 41,312
Dahl, John M.	Reg. No. P-44,639	Litman, Mark A.	Reg. No. 26,390	Slifer, Russell D.	Reg. No. 39,838
Drake, Eduardo E.	Reg. No. 40,594	Lundberg, Steven W.	Reg. No. 30,568	Steffey, Charles E.	Reg. No. 25,179
Eliseeva, Maria M.	Reg. No. 43,328	Mack, Lisa K.	Reg. No. 42,825	Terry, Kathleen R.	Reg. No. 31,884
Embretson, Janet E.	Reg. No. 39,665	Maki, Peter C.	Reg. No. 42,832	Viksins, Ann S.	Reg. No. 37,748
Jennifer K. Farrar	Reg. No. 34,775**	Malen, Peter L.	Reg. No. P-44,894	Woessner, Warren D.	Reg. No. 30,440
Fogg, David N.	Reg. No. 35,138	Mates, Robert E.	Reg. No. 35,271		
Fordebacher, Paul J.	Reg. No. 42,546	McCrackin, Ann M.	Reg. No. 42,858		

I hereby authorize them to act and rely on instructions from and communicate directly with the person/assignee/attorney/firm/organization/who/which first sends/sent this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct Schwegman, Lundberg, Woessner & Kluth, P.A. to the contrary.

Please direct all correspondence in this case to **Schwegman, Lundberg, Woessner & Kluth, P.A.** at the address indicated below:

P.O. Box 2938, Minneapolis, MN 55402

Telephone No. (612)373-6900

Jennifer K. Farrar is not a member of Schwegman, Lundberg, Woessner & Kluth.


I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of joint inventor 1: **Michael G. Martinek**

Citizenship: **United States of America** Residence: **Fort Collins, CO**

Post Office Address: **3007 Indigo Circle N.
Fort Collins, CO 80528**

Signature:


Michael G. Martinek

Date:

3-6-00

Full Name of joint inventor 2: **Mark D. Jackson**

Citizenship: **United States of America** Residence: **Fort Collins, CO**

Post Office Address: **907 Canosa Court
Fort Collins, CO 80526**

Signature:


Mark D. Jackson

Date:

3/7/00

X Additional inventors are being named on separately numbered sheets attached hereto.

Citizenship: **United States of America**

Residence: Henderson, Nevada

Post Office Address: 1900 Grey Eagle Street
Henderson, Nevada 89014

Signature:


Mark L. Yoseloff

Date:

3/6/2000

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80																				

§ 1.56 Duty to disclose information material to patentability.

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is canceled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is canceled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§ 1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) the closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
- (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

- (1) Each inventor named in the application;
- (2) Each attorney or agent who prepares or prosecutes the application; and
- (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.

(d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.